



CHRONOFLASH® 20 A



CHRONOFLASH 20 A																		
S	9,4	10,1	11	11,7	12,7	13	14	15	16	17	18	19	20	21	22	23	24	
24 m	2000	1810	1630	1500	1350	1310	1200	1100	1010	930	870	810	760	710	670	630	600	
22 m		2000	1800	1670	1500	1460	1330	1220	1120	1040	970	900	850	800	750			
20 m		2000	1800	1670	1500	1460	1330	1220	1120	1040	970	900	850					kg

CHRONOFLASH® 20 A



**

CHRONOFLASH 20 A - 2000 kg		m/mn	KW	ch PS-HP	kg
	I	5	2	2,7	2000
	II	20	6	8,2	2000
	III	40	6	8,2	1000
tr/mn U/mn		0 >> 0,3 >> 1	1,1	1,5	
		18 - 36	1,5	2	

V	380	450
Hz	50	60
KVA	13	16
GROUPE ELECTROGENE STROMAGGREGAT GENERATOR SET GRUPPO ELETTOGENO GRUPPO ELETTROGENO		
KVA	25	30

CHRONOFLASH® 20 A


TRANSPORT
ROUTIER

TRANSPORT
STRASSE

TRANSPORT
ROAD

TRASPORTO
SU STRADA

TRANSPORTE
RUTA




SUR
CAMION

AUF
LKW

ON
LORRY

SU
CAMION

SOBRE
CAMION



Nous consulter - Auf Anfrage - Consult us - Consultarnos - Consultateci

BPR-Cadillon
GROUPE LEGRIS INDUSTRIES

CADILLON Baumaschinen GmbH

Nordendstr. 79-87

64546 Mörfelden-Walldorf

Telefon : 06105 - 704170

Telefax : 06105 - 704159

Réf. : 2000.15.LTW.1